


**In the claims:**

1. (Amended) A compound of Formula I



wherein

R<sup>1a</sup> is independently selected from

- 1) H,
- 2) unsubstituted or substituted C<sub>1</sub>-C<sub>6</sub> alkyl, and
- 3) OR<sup>4</sup>;

R<sup>1b</sup> is independently selected from

- 1) H, and
- 2) unsubstituted or substituted C<sub>1</sub>-C<sub>6</sub> alkyl;

X is selected from

- 1) a bond,
- 2) C(O),
- 3) O, and
- 4) NR<sup>4</sup>;

R<sup>1</sup> is independently selected from

- 1) H,
- 2) halo,
- 3) ~~OR<sup>4</sup>~~;

- 4)  $\text{NO}_2$ ,
- 5)  $-\text{S}(\text{O})_m\text{R}^4$ ,
- 6)  $\text{CN}$
- 7) unsubstituted or substituted  $\text{C}_1\text{-C}_{10}$  alkyl,
- 8) unsubstituted or substituted aryl,
- 9) unsubstituted or substituted  $\text{C}_2\text{-C}_6$  alkenyl,
- 10) unsubstituted or substituted  $\text{C}_3\text{-C}_{10}$  cycloalkyl,
- 11) unsubstituted or substituted alkynyl,
- 12) unsubstituted or substituted heterocycle,
- 13)  $-\text{C}(\text{O})\text{R}^4$ ,
- 14)  $\text{C}(\text{O})\text{OR}^4$ ,
- 15)  $\text{C}(\text{O})\text{N}(\text{R}^4)_2$ ,
- 16)  $\text{S}(\text{O})_m\text{N}(\text{R}^4)_2$ , and
- 17)  $\text{N}(\text{R}^4)_2$ ;

V is selected from

- 1)  $\text{H}$ ,
- 2)  $\text{CF}_3$ ,
- 3) aryl,
- 4) heterocycle, and
- 5)  $\text{C}_3\text{-C}_{10}$  cycloalkyl;

$\text{R}^2$  is independently selected from

- 1)  $\text{H}$ ,
- 2) unsubstituted or substituted  $\text{C}_1\text{-C}_{10}$  alkyl,
- 3)  $-(\text{CR}^{1b})_t\text{OR}^4$ ,
- 4) Halo,
- 5)  $\text{CN}$ ,

- 6)  $\text{NO}_2$ ,
- 7)  $\text{CF}_3$ ,
- 8)  $-(\text{CR}^1\text{b})_t\text{N}(\text{R}^4)_2$ ,
- 9)  $-\text{C}(\text{O})\text{OR}^4$ ,
- 10)  $-\text{C}(\text{O})\text{R}^4$ ,
- 11)  $-\text{S}(\text{O})_2\text{R}^4$ ,
- 12)  $-(\text{CR}^1\text{b})_t\text{NR}^4(\text{CR}^1\text{b})_t\text{R}^5$ ,
- 13)  $-(\text{CR}^1\text{b})_t\text{S}(\text{O})_m\text{NR}^4$ ,
- 14)  $-\text{C}(\text{O})\text{OR}^4\text{R}^5$ ,
- 15)  $-\text{NR}^4\text{C}(\text{O})\text{R}^4$ ,
- 16) unsubstituted or substituted aryl, and
- 17) unsubstituted or substituted heterocycle;

$\text{R}^4$  is independently selected from

- 1) H,
- 2) unsubstituted or substituted  $\text{C}_1$ - $\text{C}_{10}$  alkyl,
- 3) unsubstituted or substituted  $\text{C}_3$ - $\text{C}_{10}$  cycloalkyl,
- 4) unsubstituted or substituted aryl,
- 5) unsubstituted or substituted heterocycle, and
- 6)  $\text{CF}_3$ ;

$\text{R}^5$  is independently selected from

- 1) unsubstituted or substituted aryl, and
- 2) unsubstituted or substituted heterocycle;

$m$  is independently 0, 1 or 2;

$n$  is 0 to 6;

$p$  is 0 to 6;

q is 0 to 6, provided that when V is H or CF<sub>3</sub>, q is 0; and

s is 0 to 16;

t is independently 0 to 6;

provided that  $\sum (CR^{1a}_2)_n - X - (CR^{1a}_2)_p - V(R^2)_q$  is not equivalent to H or CH<sub>3</sub>;

or a pharmaceutically acceptable salt or stereoisomer thereof.

2. (Amended) The compound according to Claim 1 wherein:

R<sup>1b</sup>, R<sup>4</sup>, R<sup>5</sup> and variables m, n, p, q and t are as defined in Claim 1 and:

R<sup>1a</sup> is independently selected from

- 1) H, and
- 2) unsubstituted or substituted C<sub>1</sub>-C<sub>6</sub> alkyl;

X is selected from

- 1) a bond, and
- 2) C(O);

R<sup>1</sup> is independently selected from

- 1) H,
- 2) halo,
- 3) ~~OR<sup>4</sup>~~;
- 4) N(R<sup>4</sup>)<sub>2</sub>,
- 5) NO<sub>2</sub>, and
- 6) unsubstituted or substituted C<sub>1</sub>-C<sub>10</sub> alkyl;

V is selected from

- 1) H,
- 2)  $\text{CF}_3$ ,
- 3) aryl, and
- 4) heterocycle;

$\text{R}^2$  is independently selected from

- 1) H,
- 2) unsubstituted or substituted  $\text{C}_1\text{-C}_{10}$  alkyl,
- 3)  $-(\text{CR}^{1b})_t\text{OR}^4$ ,
- 4) Halo,
- 5) CN,
- 6)  $\text{NO}_2$ ,
- 7)  $\text{CF}_3$ ,
- 8)  $-(\text{CR}^{1b})_t\text{N}(\text{R}^4)_2$ ,
- 9)  $-\text{C}(\text{O})\text{OR}^4$ ,
- 10)  $-(\text{CR}^{1b})_t\text{S}(\text{O})_m\text{NR}^4$ ,
- 11)  $-(\text{CR}^{1b})_t\text{NR}^4(\text{CR}^{1b})_t\text{R}^5$ ,
- 12)  $-\text{C}(\text{O})\text{OR}^4\text{R}^5$ , and
- 13)  $-\text{NR}^4\text{C}(\text{O})\text{R}^4$ ;

s is 0 to 6;

or a pharmaceutically acceptable salt or stereoisomer thereof.

3. (original) The compound according to Claim 2 wherein  $\text{R}^{1b}$ , X,  $\text{R}^1$ ,  $\text{R}^2$ ,  $\text{R}^4$ ,  $\text{R}^5$  and variables m, s and t are as defined in Claim 2 and:

$\text{R}^{1a}$  is independently selected from

- 1) H, and

2) unsubstituted or substituted C<sub>1</sub>-C<sub>6</sub> alkyl;

V is selected from

- 1) aryl, and
- 2) heterocycle;

n is 0 to 3;

p is 0 to 3;

q is 0 to 3;

or a pharmaceutically acceptable salt or stereoisomer thereof.

4. (Amended) A compound selected from:

(6*S*,9*R*)-12-(3-bromobenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(1*H*-indol-2-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(3-chlorobenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(1*H*-indol-6-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(3-bromobenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]  
annulen-4-amine

(6*S*,9*R*)-12-(2-naphthylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(1*H*-indol-7-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(3-methylbenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*S*,9*R*)-12-[(4-bromo-1*H*-pyrrol-2-yl)methyl]-5,6,7,8,9,10-hexahydro-6,9-  
(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(1,3-benzodioxol-5-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*S*,9*R*)-12-[3-(trifluoromethyl)benzyl]-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*S*,9*R*)-12-benzyl-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(3,5-dichlorobenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(3-nitrobenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8]annulene;

(6*S*,9*R*)-12-[1-(3-bromophenyl)ethyl]-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(3,4-dichlorobenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(3-fluorobenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*S*,9*R*)-4-bromo-12-(3-chlorobenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(1-naphthylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(quinolin-3-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(4-chlorobenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(3-methoxybenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

3-[(6*S*,9*R*)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulen-12-  
ylmethyl]benzonitrile

(6*S*,9*R*)-12-[(5-bromothien-2-yl)methyl]-5,6,7,8,9,10-hexahydro-6,9-  
(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-[(2-methoxy-1-naphthyl)methyl]-5,6,7,8,9,10-hexahydro-6,9-  
(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(4-methoxybenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(1-benzothien-2-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*S*,9*R*)-12-[(4,5-dibromothien-2-yl)methyl]-5,6,7,8,9,10-hexahydro-6,9-  
(epiminomethano)benzo[*a*][8]annulene;

12-(4-chlorobenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo [a][8]annulene;



(6*S*,9*R*)-12-[(5-methylthien-2-yl)methyl]-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

3-[(6*S*,9*R*)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulen-12-ylmethyl]aniline

(6*S*,9*R*)-12-(1*H*-pyrrol-2-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

{2-bromo-4-[(6*S*,9*R*)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulen-12-ylmethyl]phenyl} methanol

(6*S*,9*R*)-12-[(5-bromo-2-furyl)methyl]-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(4-methylbenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-[(5-chloro-1*H*-indol-2-yl)methyl]-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*R*,9*S*)-12-[(4-methoxy-1-naphthyl)methyl]-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(1*H*-indol-5-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

3-[(6*S*,9*R*)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulen-12-ylmethyl]phenol

12-(3-bromobenzyl)-4-nitro-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(thien-2-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(1*H*-indol-4-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*S*,9*R*)-12-[(1*R*)-6-methoxy-2,3-dihydro-1*H*-inden-1-yl]-5,6,7,8,9,10-hexahydro-6,9-  
(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-[(1*S*)-6-methoxy-2,3-dihydro-1*H*-inden-1-yl]-5,6,7,8,9,10-hexahydro-6,9-  
(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-[(1*R*)-1-phenylethyl]-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*S*,9*R*)-12-[(1*S*)-1-phenylethyl]-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*S*,9*R*)-12-[(1*R*)-1-phenylethyl]-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*S*,9*R*)-12-[(1*S*)-1-phenylethyl]-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*S*,9*R*)-12-[(1*R*)-2,3-dihydro-1*H*-inden-1-yl]-5,6,7,8,9,10-hexahydro-6,9-  
(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-[(1*S*)-2,3-dihydro-1*H*-inden-1-yl]-5,6,7,8,9,10-hexahydro-6,9-  
(epiminomethano)benzo[*a*][8]annulene;

12-(3-bromobenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8] annulen-3-amine

2-[(6*S*,9*R*)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulen-12-ylmethyl]phenylamine

12-(3-bromobenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8] annulen-1-amine

~~12-(4-chlorobenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8] annulen-3-ol~~

(6*S*,9*R*)-12-[(1-methyl-1,2,3,4-tetrahydroquinolin-6-yl)methyl]-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

4-[(6*S*,9*R*)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulen-12-ylmethyl]phenol

(6*S*,9*R*)-12-[(5-methyl-2-furyl)methyl]-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(1,1'-biphenyl-3-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(quinolin-6-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(1*H*-benzimidazol-2-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(quinolin-7-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(isoquinolin-4-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

2-bromo-4-[(6*S*,9*R*)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8] annulen-12-ylmethyl]benzonitrile

1-{2-bromo-4-[(6*S*,9*R*)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8] annulen-12-ylmethyl]phenyl} methanamine

~~12-(4-methoxybenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8] annulen-3-ol~~

4-[(6*S*,9*R*)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulen-12-ylmethyl]-2-methoxyphenol

(6*S*,9*R*)-12-(2-phenylethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*] [8]annulene;

(6*S*,9*R*)-12-(2-chlorobenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8]annulene;

(6*S*,9*R*)-12-[(1*R*)-1,2,3,4-tetrahydronaphthalen-1-yl]-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-[(1*S*)-1,2,3,4-tetrahydronaphthalen-1-yl]-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

3-[(6*S*,9*R*)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulen-12-ylmethyl]isoquinolin-1(2*H*)-one

(6*S*,9*R*)-12-(4-nitrobenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo [ *a* ][8]annulene;

(6*S*,9*R*)-12-(quinolin-8-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(3-furylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo [ *a* ][8]annulene;

12-(3-bromobenzyl)-1-nitro-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo [ *a* ][8]annulene;

(6*R*,9*S*)-12-(3-chlorobenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8]annulene;

(6*S*,9*R*)-3-bromo-12-(3-chlorobenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(3,4-dimethoxybenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8]annulene;

(6*S*,9*R*)-12-{2-[(3*R*)-1-benzoyl-3-phenylpyrrolidin-3-yl]ethyl}-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-{2-[(3*S*)-1-benzoyl-3-phenylpyrrolidin-3-yl]ethyl}-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-[(1-methyl-1*H*-pyrrol-2-yl)methyl]-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-[(1-phenyl-1*H*-pyrazol-4-yl)methyl]-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-[(2-chloroquinolin-3-yl)methyl]-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

4-[(6*S*,9*R*)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulen-12-ylmethyl]benzonitrile

(6*S*,9*R*)-12-[(1-methyl-1*H*-pyrazol-4-yl)methyl]-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(quinolin-5-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8]annulene;

4-[(6*S*,9*R*)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulen-12-ylmethyl]phenylamine

(6*S*,9*R*)-12-(3-phenylpropyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8]annulene;

(6*R*,9*S*)-12-(5-phenylpentyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(1*H*-pyrazol-5-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(2-furylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*] [8]annulene;

(6*R*,9*S*)-12-(4-phenylbutyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8]annulene;

(6*S*,9*R*)-12-[4-(trifluoromethoxy)benzyl]-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-[(5-methyl-1*H*-imidazol-2-yl)methyl]-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(4-phenylbutyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(quinolin-2-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8]annulene;

{4-[(6*S*,9*R*)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulen-12-ylmethyl]phenyl} methanol

(6*R*,9*S*)-12-(2-phenylethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*] [8]annulene;

methyl 2-bromo-4-[(6*S*,9*R*)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*] [8]annulen-12-ylmethyl]benzoate

3-[(6*S*,9*R*)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulen-12-ylmethyl]quinolin-2(1*H*)-one

12-(3-bromobenzyl)-3-nitro-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*] [8]annulene;

(6*S*,9*R*)-12-(isoquinolin-1-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8]annulene;

(6*S*,9*R*)-12-[(1*R*)-1-(3-bromophenyl)ethyl]-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-{2-[(3*R*)-3-phenyl-1-(phenylsulfonyl)pyrrolidin-3-yl]ethyl}-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-{2-[(3*S*)-3-phenyl-1-(phenylsulfonyl)pyrrolidin-3-yl]ethyl}-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-[(8-methoxyquinolin-2-yl)methyl]-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(pyridin-3-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8]annulene;

*N*-{3-[(6*S*,9*R*)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulen-12-ylmethyl]phenyl}acetamide

(6*S*,9*R*)-12-(quinolin-4-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8]annulene;

methyl 4-[(6*S*,9*R*)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulen-12-ylmethyl]benzoate

(6*S*,9*R*)-12-(pyridin-4-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(5-phenylpentyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

4-[(6*S*,9*R*)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulen-12-ylmethyl]benzylamine

(6*R*,9*S*)-12-(3-phenylpropyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8]annulene;

(6*R*,9*S*)-12-(2-naphthylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-{[5-(methoxymethyl)-2-furyl]methyl}-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*R*,9*S*)-12-benzyl-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo [a][8]annulene;

(6*S*,9*R*)-12-(pyridin-2-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-hexyl-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

diethyl 5-[(6*S*,9*R*)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulen-12-ylmethyl]-3-methyl-1*H*-pyrrole-2,4-dicarboxylate



*N*-{2-bromo-4-[(6*S*,9*R*)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8] annulen-12-ylmethyl]benzyl}-2-morpholin-4-ylethanamine

(6*R*,9*S*)-12-hexyl-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*R*,9*S*)-12-nonyl-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*R*,9*S*)-12-(5-methylhexyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8]annulene;

(6*R*,9*S*)-12-(4-phenylbutanoyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8]annulene;

(6*S*,9*R*)-12-(1,1'-biphenyl-4-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8]annulene;

(6*R*,9*S*)-12-(2-chlorobenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8]annulene;

*N*-{4-[(6*S*,9*R*)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulen-12-ylmethyl]benzyl}-2-morpholin-4-ylethanamine

~~12-(phenylacetyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulen-2-ol~~

(6*R*,9*S*)-12-(4-chlorobenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8]annulene;

4-[(6*R*,9*S*)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulen-12-ylmethyl]phenol

(6*R*,9*S*)-12-(4-methylbenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8]annulene;

(6*R*,9*S*)-12-ethyl-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*S*,9*R*)-12-[(1*S*)-1-phenylethyl]-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo  
[*a*][8]annulene;

(6*S*,9*R*)-12-[(1*R*)-1-phenylethyl]-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo  
[*a*][8]annulene;

(6*R*,9*S*)-12-(4-methoxybenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo  
[*a*][8]annulene;

(6*S*,9*R*)-12-(1*H*-pyrazol-4-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

~~12-(4-chlorobenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulen-2-ol~~

(6*S*,9*R*)-12-[(5-chloro-1*H*-indol-2-yl)carbonyl]-5,6,7,8,9,10-hexahydro-6,9-  
(epiminomethano)benzo[*a*][8]annulene;

2-bromo-4-[(6*S*,9*R*)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8] annulen-12-  
ylmethyl]benzoic acid

~~12-(2-phenylethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulen-2-ol~~

(6*S*,9*R*)-12-(1,3-benzothiazol-2-ylmethyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

1-{2-chloro-4-[(6*S*,9*R*)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*] [8]annulen-12-  
ylmethyl}phenyl}methanesulfonamide

~~12-(4-methoxybenzyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8] annulen-2-ol~~

(6*R*,9*S*)-12-butyl-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)benzo[*a*][8]annulene;

(6*R*,9*S*)-12-isopentyl-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano) benzo[*a*][8] annulene;

2-morpholin-4-ylethyl 4-[(6*S*,9*R*)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulen-12-ylmethyl]benzoate

(6*S*,9*R*)-12-(4,4,4-trifluorobutyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

(6*R*,9*S*)-12-(4,4,4-trifluorobutyl)-5,6,7,8,9,10-hexahydro-6,9-(epiminomethano)  
benzo[*a*][8]annulene;

or a pharmaceutically acceptable salt or stereoisomer thereof.

5. (cancelled)

6. (cancelled)

7. (cancelled)

8. (cancelled)

9. (cancelled)

10. (cancelled)

11. (cancelled)

12. (cancelled)

13. (original) A pharmaceutical composition which is comprised of a compound  
in accordance with Claim 1 and a pharmaceutically acceptable carrier.

14. (Withdrawn by the Examiner) A method of modulating the catalytic activity of protein kinases in a mammal in need thereof comprising contacting the protein kinase with a compound of Claim 1.

15. (Withdrawn by the Examiner) The method of Claim 14 wherein the protein kinase is an RTK.

16. (Withdrawn by the Examiner) The method of Claim 15, wherein the RTK is selected from IR, IGF-1R and IRR.

17. (Withdrawn by the Examiner) A method of treating or preventing a PK-related disorder in a mammal in need thereof comprising administering to said mammal a therapeutically effective amount of a compound of Claim 1.

18. (Withdrawn by the Examiner) A method of Claim 17, wherein the PK-related disorder is an IGF-1R-related disorder selected from:

- 1) cancer,
- 2) diabetes,
- 3) an autoimmune disorder,
- 4) a hyperproliferation disorder,
- 5) aging,
- 6) acromegaly, and
- 7) Crohn's disease.

19. (Withdrawn by the Examiner) A method of treating cancer in a mammal in need of such treatment comprising administering to said mammal a therapeutically effective amount of a compound of Claim 1.

20. (Withdrawn by the Examiner) A method of treating retinal vascularization comprising administering to a mammal in need of such treatment a therapeutically effective amount of a compound of Claim 1.

21. (Withdrawn by the Examiner) A method of treating cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 in combination with a second compound selected from:

- 1) an estrogen receptor modulator,
- 2) an androgen receptor modulator,
- 3) retinoid receptor modulator,
- 4) a cytotoxic agent,
- 5) an antiproliferative agent,
- 6) a prenyl-protein transferase inhibitor,
- 7) an HMG-CoA reductase inhibitor,
- 8) an HIV protease inhibitor,
- 9) a reverse transcriptase inhibitor, and
- 10) an angiogenesis inhibitor.

22. (Withdrawn by the Examiner) The method of Claim 21, wherein the second compound is an estrogen receptor modulator selected from tamoxifen and raloxifene.

23. (Withdrawn by the Examiner) A method of treating cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 in combination with radiation therapy.

24. (Withdrawn by the Examiner) The method of Claim 21 wherein radiation therapy is also administered.

25. (Withdrawn by the Examiner) A method of treating cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 and paclitaxel or trastuzumab.

26. (Withdrawn by the Examiner) A method of treating or preventing cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 and a GPIIb/IIIa antagonist.

27. (Withdrawn by the Examiner) The method of Claim 26 wherein the GPIIb/IIIa antagonist is tirofiban.

28. (Withdrawn by the Examiner) A method of treating or preventing cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 in combination with a COX-2 inhibitor.